



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

American Fern Journal

A QUARTERLY DEVOTED TO FERNS

Published by the

AMERICAN FERN SOCIETY



Editors

R. C. BENEDICT

E. J. WINSLOW

C. A. WEATHERBY



VOLUME VII

1 9 1 7

AUBURNDALE, MASSACHUSETTS

CONTENTS

VOLUME 7, NUMBER 1, PAGES 1-32, ISSUED MARCH 3

Rev. James A. Bates.....	<i>E. J. Winslow</i>	1
Is <i>Pellaea glabella</i> a distinct Species?.....	<i>F. L. Pickett</i>	3
<i>Onoclea sensibilis</i> , forma <i>obtusilobata</i>	<i>H. C. Ridlon</i>	6
A Christensen Bibliography.....		9
Ferns of the Lake George Flora—III.....	<i>S. H. Burnham</i>	12
Notes and News.....		15
American Fern Society.....		19

VOLUME 7, NUMBER 2, PAGES 33-66, ISSUED MAY 5

New Polypodiums from America.....	<i>C. Christensen</i>	33
Ferns of Jamaica.....	<i>E. P. Killip</i>	36
A New Station for <i>Trichomanes Petersii</i>	<i>E. W. Graves</i>	51
Ferns of the Lake George Flora—IV.....	<i>S. H. Burnham</i>	54
Notes and News.....		63
American Fern Society.....		66

VOLUME 7, NUMBER 3, PAGES 67-98, ISSUED AUG. 9

Experiences with a Fern Garden—I.....	<i>C. L. Gruber</i>	67
Notes on <i>Hippochaete</i>	<i>O. A. Farwell</i>	73
<i>Pellaea atropurpurea</i> and <i>P. glabella</i>	<i>F. K. Butters</i>	77
The Male Fern in Vermont.....	<i>E. J. Winslow</i>	87
Notes and News.....		90
American Fern Society.....		96

VOLUME 7, NUMBER 4, PAGES 99-130, ISSUED DEC. 17

Fresh Pleasures from Old Fields.....	<i>H. E. Ransier</i>	99
Notes on American Ferns—XI.....	<i>W. R. Maxon</i>	104
A New <i>Notholaena</i> from the Southwest.....	<i>W. R. Maxon</i>	106
Observations on the Habitat of Certain Ferns....	<i>E. T. Wherry</i>	110
<i>Cheilanthes lanosa</i> and <i>Isoetes</i> in Indiana.....	<i>C. C. Deam</i>	112
Experiences with a Fern Garden—II.....	<i>C. L. Gruber</i>	114
Notes and News.....		121
American Fern Society.....		126
Index to Volume 7.....		127

INDEX TO VOLUME 7

- Acer rubrum**, 113
Adder's-tongue, 65, 67
Adiantum, 37; *Capillus-Veneris*, 56, 79; *concinnum*, 37, 44; *cristatum*, 44; *cuneatum*, 44; *deltoides*, 44; *fragile*, 44; *latifolium*, 45; *macrophyllum*, 45; *melanoleucum*, 45; *pedatum*, 56, 65; *pulverulentum*, 45; var. *caudatum*, 45; *tenerum*, 37, 45; *trapeziforme*, 45
Alsophila quadripinnata, 40
American Fern Society, 19; annual reports of, 21; meeting at Boston, 96; at Brooklyn, 19
Anchistea virginica, 13
Anemia adiantifolia, 37, 49; *hirsuta*, 37, 49
Anopteris hexagona, 44
Aspidium angustum, 54; *cristatum*, 65; *spinulosum*, 65 (see also *Dryopteris*)
Asplenium, 37; *abscissum*, 43; *alatum*, 43; *angustifolium*, 15; *auritum*, 43; *Bradleyi*, 51; *cirrhatum*, 43; *dentatum*, 43; *ebenoides*, 14, 18, 111; a new Vermont station for, 18; *Filix-femina*, 65; var. *angustum*, 54; var. *Michauxii*, 54; *fragrans*, 43; *Michauxii*, 54; *montanum*, 51, 104, 105, 111; *pinatifidum*, 51, 111; *platyneuron*, 14, 18; var. *incisum*, 14; *praemorsum*, 43; *pycnocarpon*, 15; *resiliens*, 43; *Ruta-muraria*, 15, 111; *Trichomanes*, 15, 51, 90, 111 (see also *Athyrium*)
Athyrium, 122; *angustifolium*, 90; *asplenoides*, *β angustum*, 54; *Filix-foemina*, 54; var. *latifolium*, 56; var. *Michauxii*, 54; *thelypteroides*, 54
BATES, REV. JAMES A., obituary notice of, 1
BENEDICT, R. C., Growing ferns for cut leaves, 92; report of the Editors, 28; two serious fern pests, 122
BISSELL, C. H., Report of the President, 21
Blechnum occidentale, 37, 44; var. *minus*, 44
Botrychium angustisegmentum, 90; *dichronum*, 49; *lanceolatum*, 124; Lake George flora stations for, 124; *neglectum*, 124; *obliquum*, 18; *silafolium*, 92; *Underwoodianum*, 50; *virginianum*, 21, 49, 65
Brake, cliff, 114; common, 65, 114
BRECKENRIDGE, L. P., a new Vermont station for *Asplenium ebenoides*, 18
BROWN, A. W., additions to the list of Adirondack ferns, 18
BURNHAM, S. H., ferns of the Lake George Flora—III, 12; IV, 54; Lake George Flora stations for *Botrychium lanceolatum*, 124
BUTTERS, F. K., *Pellaea atropurpurea* and *P. glabella*, 77
Camptodium pedatum, 42
Camptosorus, 14; *rhizophyllus*, 13, 18, 51, 104, 110; from Oklahoma, 104
Cheilanthes, 77; *lanosa*, 111, 112; in Indiana, 112; *microphylla*, 37, 46
CHRISTENSEN, CARL, Bibliography of his writings, 9; *Maxonia*, a new genus of ferns (review), 15; New *Polypodiums* from tropical America, 33
Cibotium, 16; *Schiedei*, 16
Cryptogramma Stelleri, 56
Culcita conifolia, 40
Cyathea furfuracea, 40; *pubescens*, 40
DEAM, C. C., *Cheilanthes lanosa* and *Isoetes* in Indiana, 112
Dennstaedtia cicutaria, 43
Dicranopteris, 37; *Bancroftii*, 49; *bifida*, 49; *flexuosa*, 49, 105; in Alabama, 105; *jamaicensis*, 49; *pectinata*, 49

- Diplazium, 37; centripetale, 43; costale, 43; semihastatum, 43; Wilsonii, 43
- DRURY, C. T., (obituary notice), 126
- Dryopteris, 15, 37; asplenoides, 40; asterothrix, 40; Clintoniana \times cristata, 20; cordata, 40; Dryopteris, 13, 19; effusa, 40; Goldiana \times intermedia, 12; guadelupensis-40; heteroclita, 40; hexagonop-tera, 12; hirta, 40; marginalis, 18, 92; normalis, 41; oblitterata, 41; oligocarpa, 41; patens, 41; Phegopteris, 12
- Elaphoglossum chartaceum, 48; Cinchonae, 48; hirtum, 48; latifolium, 48; muscosum, 48; villosum, 48
- ELROD, M. J., Ophioglossum vulgatum in Montana, 125
- Equisetum arvense, 58; f. decumbens, 58; f. diffusum, 58; f. nemorosum, 59; f. riparium, 59; fluviatile, 59; f. verticillatum, 59; hyemale, 76; var. affine, 59; var. intermedium, 73, 74, 75; var. pumilum, 60, 76; f. ramosum, 59; Kansanum, 73, 75; laevigatum, 73, 74, 75; palustre, 59, 106; in Oregon, 106; prealtum, 75; robustum, 75; var. affine, 76; var. minus, 75, 76; scirpoides, 60; sylvaticum, 59; variegatum, 60 (see also Hippochaete)
- Ereopus floridensis, 123
- FARWELL, O. A., Notes on Hippochaete, 73
- Fern garden, experiences with a, I, 67; II, 114; pests, two serious, 122
- Fern, beech, 119; bird's nest, 122; bladder, 120; Boston, 92; bulb-bearing bladder, 120; Christmas, 117; cinnamon, 65, 68, 72; crested, 69, 70; cristate wood, 65; "dagger," 92; "fancy," 92; fragile bladder, 120; Goldie's shield, 70; grape, 67, 116; interrupted, 65, 72; lady, 65, 118, maiden-hair, 65; male, 21, 71, 87, 88, 90; in Vermont, 87; marginal shield, 68; marsh, 68, 71; New York, 70; oak, 65; ostrich, 9, 65, 90; rattlesnake, 65, 67, 116; royal, 72, 73; sensitive, 9, 65; spinulose shield, 69; spinulose wood, 65; walking, 104, 112
- Ferns of Jamaica, 36; of the Lake George Flora, III, 12; IV, 54; of Lake Spooner, 64
- Ferns, American, notes on, XI, 104; certain, observations on the habitat of, 110; growing, for cut leaves, 92; tree, 37; of Hawaii, 16
- Filix fragilis, 44
- GRAVES, E. W., A new station for Trichomanes Petersii, 51
- GROUT, A. J., Moss Flora of New York City and vicinity (review) 94
- GRUBER, C. L., Experiences with a fern garden, I, 67; II, 114
- Gymnopteris rufa, 44
- Hart's-tongue, 100
- Hawaii, tree ferns of, 16
- Hippochaete, notes on, 73; laevigata, 73, 75; prealta, 75; var. pseudohyemalis, 76; var. affinis, 76
- Histiopteris incisa, 37, 46
- HOPKINS, L. S., Report of the Curator, 27
- HURD, MRS. ELLA J. C., (obituary notice) 97
- Hymenophyllum, 37; asplenoides, 39; fucoides, 39; polyanthos, 39; sericeum, 39
- Hypolepis nigrescens, 45
- Isoetes, 112, 113; Braunii, 62, 114; echinospora muricata, 63; Engelmanni, 63; foveolata, 113
- Jamaica, ferns of, 36
- KILLIP, E. P., Ferns of Jamaica, 36
- Lake George Flora, ferns of, III, 12; IV, 54; stations for Botrychium lanceolatum, 124
- Lepicystis, 33
- Liquidambar, 113
- Lomaria, 37; lineata, 44; poly-podioides, 44; Spicant, 65
- Ludwigia palustris, 113

- Lycopodium adpressum*, 21; *alopencuroides*, 21; *annotinum*, 61; *chinense*, 121; *clavatum*, 50; var. *megastachyon*, 61; var. *monostachyon*, 61; *complanatum*, var. *flabelliforme*, 62; *curvatum*, 50; *Fawcettii*, 50; *inundatum*, 21, 60; var. *Bigelovii*, 21; *Jussiaei*, 50; *lucidulum*, 60; *Miyoshianum*, 121; *obscurum*, 60; var. *dendroideum*, 61; *reflexum*, 50; *Selago*, var. *Miyoshianum*, 121; in North America, 120; *taxifolium*, 50; *tristachyum*, 62
- MACCAUGHEY, VAUGHAN**, Tree ferns of Hawaii (review), 16
- Maidenhair*, 65
- Marattia alata*, 49
- MARSHALL, RUTH**, Ferns of Lake Spooner, Wisconsin, 64
- MAXON, W. R.**, A new *Notholaena* from the Southwest, 106; Notes on American Ferns—XI, 104
- Maxonia*, 15
- MENDELSON, WALTER**, *Ophioglossum* once more, 63
- Montana*, *Ophioglossum vulgatum* in, 124
- Nephrolepis*, 122; *biserrata*, 42; *cordifolia*, 42
- Notholaena californica*, 105; *cretaea*, 105; an aggregate, 105; **Jonesii**, 108, 109, 110; *neglecta*, 105; *tenera*, 107, 108, 109, 110; *trichomanoides*, 37, 46; var. *subnuda*, 46
- Nyssa sylvatica*, 113
- Odontosoria Jenmani**, 42
- Oleandra articulata*, 48
- Olfersia cervina*, 48
- Onoclea sensibilis*, 21, 65; f. *obtusilobata*, 6, 95; *Struthiopteris*, 65
- Ophioglossum vulgatum*, 63, 64, 65, 90, 125; budding from a root, 64; in Montana, 125
- Osmunda cinnamomea*, 13, 65; var. *incisa*, 65; *Claytoniana*, 65; *regalis*, 21
- Paesia viscosa*, 46
- Pellaea atropurpurea*, 3, 4, 5, 51, 56, 77, 78, 79, 80, 81, 82, 85, 111; var. *Bushii*, 3; var. *occidentalis*, 82, 84; *Breweri*, 82, 83, 86; *densa*, 77; *glabella*, 3, 4, 5, 77, 79, 80, 81, 82, 83, 84, 86; var. **occidentalis**, 82, 83, 84, 85, 86; var. **simplex**, 84, 85; *occidentalis*, 82, 83, 86; *pumila*, 82, 83, 84; *ternifolia*, 77
- Phegopteris Dryopteris*, 65
- Phyllachora Pteridis*, 56
- PICKETT, F. L.**, Is *Pellaea glabella* a distinct species?, 3
- Pityrogramma calomelaena*, 37, 45; *sulphurea*, 37, 45; *tartarea*, 37, 45
- Polybotrya*, 15, 16
- Polypodium*, 37; *angustifolium*, 46; *aureum*, 47; *crassifolium*, 47; *cretatum*, 47; *cultratum*, 47; *curvatum*, 47; *delitescens*, 47; *furfuraceum*, 33; *lanceolatum*, 47; *leucosticton*, 33, 34; *loriceum*, 47; *lycopodioides*, 47; *madrense*, 35; *marginellum*, 47; *myosuroides*, 47; *nigripes*, 33; *occidentale*, 21; *oulolepis*, 35; *pectinatum*, 47; *phyllitidis*, 47; *piloselloides*, 35, 47; *plebejum*, 33, 34, 35; *pleopeltidis*, 34, 35; *plumula*, 47; *polypodioides*, 48, 113; *repens*, 48; *squamatum*, 33; **steirolepis**, 33; *suspensum*, 48; **tobagense**, 35; *trichomanoides*, 48; *typicum*, 34; *vulgare*, 19, 21, 52, 57; var. *angustum*, 57; var. *cambricum*, 57; var. *Churchiae*, 57; var. *cristatum*, 58; var. *deltoides*, 58; var. *multifidum*, 57, 58; var. *ramosum*, 58
- Polypodiums* from tropical America, new, 33
- Polypody*, 120
- Polystichum*, 37; *acrostichoides*, 21, 92; f. *lanceolatum*, 90, 91; *adiantiforme*, 92; *ambiguum*, 41; *Andersoni*, 104, 105; range of, 104; *apiifolium*, 15; *Braunii*, 90, 105, 125; in central New Hampshire, 125; *Christiana*, 41, 42; *coriaceum*, 92; *denticulatum*, 42; *polystichiformis*, 42; *rhizophor-*

- um, 42; struthionis, 37, 41; tri-
angulum, 42
- Pteridium aquilinum*, 37, 46, 56
(see also *Pteris*)
- Pteris aquilina*, 65; *atropurpurea*,
81; *grandifolia*, 46; *longifolia*,
37, 46; *quadriaurita*, 46 (see also
Pteridium)
- Pulu*, 16
- Quercus palustris*, 113
- RANSIER, H. E., Fresh pleasures
from old fields, 99
- Ranunculus acris*, 99
- Reviews: *Lorquinia*, 17; *Maxonia*,
a new genus of ferns, 15; Moss
flora of New York City and
vicinity, 94; tree ferns of Hawaii,
16
- Rhododendron catawbiense*, 51
- RIDLON, H. C., *Onoclea sensibilis*,
f. *obtusilobata*, 6
- ST. JOHN, HAROLD, *Lycopodium*
Selago, var. *Miyoshianum* in
North America, 121
- Samolus floribundus*, 113
- SANBORN, S. F., A good find, 125
- Scolopendrium*, 100
- Selaginella apus*, 62; *didymos-*
stachya, 50; *rupestris*, 62
- Spleenwort*, dwarf, 117; *ebony*, 117;
maidenhair, 125; Scott's, 18;
silvery, 119
- Stenochlaena*, 49
- Struthiopteris germanica*, 18
- Syrargius intrudens*, 123
- Tectaria*, 37; *cicutaria*, 42; *cori-*
andrifolia, 42; *heracleifolia*, 42;
martinicensis, 42
- Trichomanes crispum*, 39; *Petersii*,
51, 52, 54; a new station for, 51;
radicans, 39, 51; *rigidum*, 39
- Trismeria trifoliata*, 37, 49
- Tsuga canadensis*, 51
- UNDERWOOD, J. G., Report of the
Treasurer, 26
- Vermont, the male fern in, 87; a
new station for *Asplenium eben-*
oides in, 18
- Walking leaf, 67, 68
- WEATHERBY, C. A., Concerning
Polystichum acrostichoides, f.
lanceolatum, 90; Report of the
Editors, 28; of the Secretary, 24
- WHERRY, E. T., Observations on
the habitat of certain ferns, 110
- WINSLOW, E. J., The male fern in
Vermont, 87; Report of Editors,
28; Rev. James A. Bates, 1
- Woodsia ilvensis*, 90; *obtusa*, 115

ERRATA

Page 44, line 12. For var. MINOR, read var. MINUS.

Page 50, line 1. For UNDERWOODIANA, read UNDERWOODIANUM